

OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 1/12

Safety Data Sheet				
SECTION 1. Identification of the subs	stance/mixture and of the company/undertaking			
1.1. Product identifier Code: Product name	OXILY 5 VOL.			
1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Mixture for cosmetic use				
1.3. Details of the supplier of the safety data sheet Name Full address District and Country	G.V.F. – GIVIEFFE S.P.A. Via Giovanni Falcone, 8 20080 Vernate (MI) Italy phone 0039 0290093743 fax 0039 0290093740			
e-mail address of the competent person responsible for the Safety Data Sheet	sarah.pizzolato@itelyhairfashion.it			
1.4. Emergency telephone number For urgent inquiries refer to	In case of emergency contact toxicological information, emergency tel 112 (within Europe) or 911 (for USA and Canada). For other countries, use the built-in emergency number in your cell phone. These telephone numbers are available 24 hours per day, 7 days per week.			

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

This is a cosmetic product that is safe for consumers and users under intended and reasonably foreseeable use.

The complete ingredients list is reported on the product packaging, for toxicological information about relevant substances, see section 3.

Hazard classification and indication:

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 2/12

Signal words:

Hazard statements:

Precautionary statements:

P101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P264Wash hands thoroughly after handling.P280Wear protective gloves, eye, face protection.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.P501Dispose of contents and container to in accordance with regional and national regulation.

Product not intended for uses provided for by Dir. 2004/42/CE.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
hydrogen peroxide		
CAS 7722-84-1	1 ≤ x < 2	Ox. Liq. 1 H271, Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Corr. 1 H314, Eye Dam. 1 H318, Aquatic Chronic 3 H412
EC 231-765-0		
INDEX 008-003-00-9		
Reg. no. 01-2119485845-22		
Dodecan-1-ol		
CAS 112-53-8	0,1 ≤ x < 0,5	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC 203-982-0		
INDEX -		
Reg. no. 01-2119485976-15-xxxx		
Tetradecanol		
CAS 112-72-1	0,05 ≤ x < 0,2	Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1
EC 204-000-3		
INDEX -		
INDEX -		



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 3/12

Reg. no. 01-2119485910-33-0000

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 4/12

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Tetradecanol Predicted no-effect concentration - PNEC			
Normal value in fresh water	0,00032	mg/l	
Normal value in marine water	0,000032	mg/l	
Normal value for fresh water sediment	0,36	mg/kg	
Normal value for marine water sediment	0,036	mg/kg	



Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

OXILY 5 VOL.

Page n. 5/12

Health - Derived no-eff	Health - Derived no-effect level - DNEL / DMEL							
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		75 mg/kg bw/d		75 mg/kg bw/d				
Inhalation		65 mg/m3	. <u>.</u>	65 mg/m3	<u>.</u>	220 mg/m3	. <u>.</u>	. 220 mg/m3
Skin		75 mg/kg bw/d		75 mg/kg bw/d		125 mg/kg bw/d		125 mg/kg bw/d

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear opencircuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Fluid emulsion

Method: visual Remark: atmosferic pressure: 101,325 kPa Temperature: 20° C



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 6/12

Colour Odour	white characteristic	Method: visual	
		Method: olfactory	
Odour threshold	Not available		
pH Melting point / freezing point	Not available Not available	Method: pHmeter Mettler	
Initial boiling point	Not available		
Boiling range	Not available		
Flash point	> 60 °C	Calculation method	
Evaporation rate	Not available		
Flammability (solid, gas)	Not applicable		
Lower inflammability limit	Not available		
Upper inflammability limit	Not available		
Lower explosive limit	Not applicable		
Upper explosive limit	Not applicable		
Vapour pressure	Not available		
Vapour density	Not available		
Relative density Solubility	1,01 +/- 0.02 g/m Not available	N Method: Picnometer	
Partition coefficient: n-octanol/w	vater Not available		
Auto-ignition temperature	Not available		
Decomposition temperature	Not available		
Viscosity	3000 +/- 1.500 cp	ps Method: Brookfield RV S03 – 10 RPM	
Explosive properties	Not applicable		
Oxidising properties	Not available		

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

Information not available

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

The product may react violently with water.

10.4. Conditions to avoid

Avoid overheating. Prevent moisture or water from penetrating inside the containers.



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 7/12

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: > 20 mg/l LD50 (Oral) of the mixture: >2000 mg/kg LD50 (Dermal) of the mixture: Not classified (no significant component)

hydrogen peroxide

LD50 (Oral) 693,7 mg/kg OECD 401 - ECHA

LD50 (Dermal) > 2000 mg/kg OECD Guideline 402 - ECHA

Tetradecanol

LD50 (Oral) > 2000 mg/kg OECD 401

LD50 (Dermal) > 2000 mg/kg rabbit

LC50 (Inhalation) 1,05 mg/l/1h rat



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 8/12

Dodecan-1-ol

LD50 (Oral) > 2000 mg/kg OECD Guideline 401 - ECHA

LD50 (Dermal) > 2000 mg/kg ECHA

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

12.1. Toxicity

hydrogen peroxide LC50 - for Fish

16,4 mg/l/96h ECHA



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 9/12

EC50 - for Crustacea	0,63 mg/l/48h ASTM guidance - ECHA
Tetradecanol LC50 - for Fish Chronic NOEC for Crustacea	> 1 mg/l/96h OECD 203 - ECHA 0,006 mg/l OECD Guideline 211 - ECHA
Dodecan-1-ol EC50 - for Crustacea	0,765 mg/l/48h OECD Guideline 202 - ECHA
12.2. Persistence and degradability	
hydrogen peroxide Rapidly degradable ECHA	
Tetradecanol Rapidly degradable	
Dodecan-1-ol Rapidly degradable Method OECD 301 - Duration: 28d > - %: 60	
12.3. Bioaccumulative potential	
Information not available	
12.4. Mobility in soil	
Information not available	
12.5. Results of PBT and vPvB assessment	
On the basis of available data, the product does not contain a	ny PBT or vPvB in percentage greater than 0,1%.
12.6. Other adverse effects	

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.



Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 10/12

OXILY 5 VOL.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

3

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 11/12

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None ____

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Liq. 1	Oxidising liquid, category 1	
Acute Tox. 4	Acute toxicity, category 4	
Skin Corr. 1	Skin corrosion, category 1	
Eye Irrit. 2	Eye irritation, category 2	
Skin Irrit. 2	Skin irritation, category 2	
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3	
H271	May cause fire or explosion; strong oxidiser.	
H302	Harmful if swallowed.	
H332	Harmful if inhaled.	
H314	Causes severe skin burns and eye damage.	
H319	Causes serious eye irritation.	
H315	Causes skin irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road



OXILY 5 VOL.

Revision nr. 1

Dated 06/03/2023

Printed on 06/03/2023

Page n. 12/12

CAS NUMBER: Chemical Abstract Service Number CE50: Effective concentration (required to induce a 50% effect) CE NUMBER: Identifier in ESIS (European archive of existing substances) CLP: EC Regulation 1272/2008 DNEL: Derived No Effect Level - EmS: Emergency Schedule GHS: Globally Harmonized System of classification and labeling of chemicals IATA DGR: International Air Transport Association Dangerous Goods Regulation IC50: Immobilization Concentration 50% IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization INDEX NUMBER: Identifier in Annex VI of CLP LC50: Lethal Concentration 50% LD50: Lethal dose 50% **OEL: Occupational Exposure Level** PBT: Persistent bioaccumulative and toxic as REACH Regulation PEC: Predicted environmental Concentration PEL: Predicted exposure level PNEC: Predicted no effect concentration REACH: EC Regulation 1907/2006 RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value - TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation - WGK: Water hazard classes (German). GENERAL BIBLIOGRAPHY 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament 4. Regulation (EU) 2015/830 of the European Parliament Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP) 13. Regulation (EU) 2017/776 (X Atp. CLP) - The Merck Index. - 10th Edition - Handling Chemical Safety INRS - Fiche Toxicologique (toxicological sheet) Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition IFA GESTIS website FCHA website - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control: therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.